

according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007

Revision date 04th January 2023 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier ATLAS UNI-GRUNT

Substance / mixture mixture

Other mixture names

PREPARAT GRUNTUJĄCY ATLAS UNIGRUNT przeznaczony jest do gruntowania nasiąkliwych, nadmiernie chłonnych i osłabionych podłoży. ATLAS UNIGRUNT to szybkoschnąca emulsja do gruntowania i wzmacniania podłoży budowlanych pod kleje, gładzie, tynki, posadzki, do stosowania wewnątrz i na zewnątrz budynków.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name ATLAS sp. z o.o.

Address ul. Jana Kilińskiego 2, Łódź, 91-421

Poland

 VAT Reg No
 PL9471936467

 Phone
 +48 42 631 88 00

 E-mail
 msds@atlas.com.pl

 Web address
 www.atlas.com.pl

Competent person responsible for the safety data sheet

Name ATLAS sp. z o.o. E-mail msds@atlas.com.pl

1.4. Emergency telephone number

112 - emergency number

+48 800 168 083 - ATLAS INFOLINE telephone, open from Monday to Friday between 8:00 am - 4:00 pm, other information is answered by the machine.

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Precautionary statements

P102 Keep out of reach of children.

Supplemental information

EUH208 Contains Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1) (CAS: 55965-84-9). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Contains biocidal products Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione CAS:5395-50-6 Reaction mass 5-chloro-2- Methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1) CAS:55965-84-9



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007

Revision date 04th January 2023 Version 6.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name Content in Classification according to Regulation (EC) No 1272/2008		Note	
CAS: 5395-50-6 EC: 226-408-0	Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole- 2,5 (1H, 3H) -dione (CAS: 5395-50-6)	0,05-0,1	Skin Sens. 1B, H317	
Index: 613-167-00-5 CAS: 55965-84-9	Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1) (CAS: 55965-84-9)	0-0,00149	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: $0.06~\% \le C < 0.6~\%$ Skin Sens. 1A, H317: $C \ge 0.0015~\%$ Skin Irrit. 2, H315: $0.06~\% \le C < 0.6~\%$ Skin Corr. 1C, H314: $C \ge 0.6~\%$ Eye Dam. 1, H318: $C \ge 0.6~\%$	1

Notes

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007

Revision date 04th January 2023 Version 6.0

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in a dedicated, cool, dry and well ventilated place. Storage temperature from + 5 ° C to + 30 ° C. Before use, the product should be mixed.

Content	Packaging type	Material of package
1 kg	cartridge	PP
4 kg	cartridge	PP
5 kg	cartridge	PP
10 kg	cartridge	PP

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007 Revision date 04th January 2023

04th January 2023 Version 6.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

A half-mask with a filter against organic vapors, or an isolating respirator in the event of exceeding the substance or in an environment with poor ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour white, milky

Odour Characteristic for acrylic dispersion

Melting point/freezing point not determined Boiling point or initial boiling point and boiling range >100 °C

Flammability non-inflammable

Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not determined
pH 8-9 (undiluted)
Kinematic viscosity not determined

Viscosity 60 cP (Brookfield DV II+S05 20 rpm) Solubility in water easily dissolvable in cold water

Partition coefficient n-octanol/water (log value) not determined Vapour pressure not determined

Density and/or relative density

Density 1 g/cm³

Relative vapour density not determined Particle characteristics not determined

Form liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007

Revision date 04th January 2023 Version 6.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Exposure time	Species	Environmen t
EC ₅₀	OECD 202	38.9 mg/l	48 hours	Daphnia (Daphnia magna)	
LC50	OECD 203	17.6 mg/kg	96 hours	Fish (Oncorhynchus mykiss)	
NOEC	OECD 211	11.2 mg/l	21 days	Other aquatic organisms (Daphnia magna)	
NOEC	OECD 201	3.93 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC ₅₀	OECD 209	>1000 mg/kg	0,5 hours	Other aquatic organisms	

12.2. Persistence and degradability



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007

Revision date 04th January 2023 Version 6.0

Biodegradability

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301A	>70 %			

not available

12.3. Bioaccumulative potential

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
EC50	OECD 201	8.5 mg/l	72 hours	Other aquatic organisms (Desmodesmus subspicatus)		
BCF	OECD 107	1.41				

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 99 wastes not otherwise specified

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

Creation date 27th February 2007
Revision date 04th January 2023

Revision date 04th January 2023 Version 6.0

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

More information

Maximum VOC content in the product 1.92 g/l. Permissible VOC content 30 g/l - Category A/h/FW.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H310+H330 Fatal in contact with skin or if inhaled.

Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

A list of additional standard phrases used in the safety data sheet

EUH208 Contains Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3: 1) (CAS: 55965-84-9). May produce an allergic reaction.

EUH071 Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System



according to Commission Regulation (EU) 2020/878 as amended

ATLAS UNI-GRUNT

6.0

Creation date 27th February 2007
Revision date 04th January 2023 Version

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientNOECNo observed effect concentrationOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Skin Corr. Skin corrosion Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.