ATLA	s SAF	FETY DATA SHEET
HILA		ation (EC) No 1907/2006 (REACH) as amended
		TLAS SILKON ANX
Creati	ion date 13th May 2022	
Revisi	on date	Version 6.5
SECT	ION 1: Identification of the substance/	/mixture and of the company/undertaking
1.1.	Product identifier	ATLAS SILKON ANX
	Substance / mixture	mixture
1.2.		ance or mixture and uses advised against
	Mixture's intended use	
	Mixture uses advised against	
	not available	
L.3.	Details of the supplier of the safety d	data sheet
	Supplier	
	Name or trade name	ATLAS sp. z o.o.
	Address	ul. Jana Kilińskiego 2, Łódź, 91-421
		Poland
	VAT Reg No	PL9471936467
	Phone	+48 42 631 89 45
	E-mail	msds@atlas.com.pl
	Web address	www.atlas.com.pl
	Competent person responsible for the	e safety data sheet
	Name	ATLAS sp. z o.o.
	E-mail	msds@atlas.com.pl
1.4.	Emergency telephone number	
	112 - emergency number	
		ephone, open from Monday to Friday between 8:00 am - 4:00 pm, other
	information is answered by the machine.	

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Precautionary statements P102	Keep out of reach of children.
Supplemental information	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH208	Contains Masa poreakcyjna 5-chloro-2-metylo-2H-izotiazol-3-onu i 2-metylo-2H- izotiazol-3-onu (3:1) (CAS: 55965-84-9). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Contains biocidal products

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole 2,5 (1H, 3H) -dione CAS: 5395-50-6 Post-reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H isothiazol-3-one CAS: 55965-84-9



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date

Version

6.5

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

13th May 2022

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5	titanium dioxide	1-5	Carc. 2, H351 (inhalation)	2, 3, 4, 5
EC: 919-446-0 Registration number: 01-2119458049-33	C9-C12 hydrocarbon mixture	0,8-1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 STOT RE 1, H372 (ingestion) Aquatic Chronic 2, H411 EUH066	
CAS: 5395-50-6 EC: 226-408-0	Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole- 2,5 (1H, 3H) -dione (CAS: 5395-50-6)	0,05-0,1	Skin Sens. 1B, H317	
Index: 613-167-00-5 CAS: 55965-84-9	Post-reaction mass of 5-chloro-2-methyl-2H -isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3: 1). CAS: 55965-84-9	0-0,00149	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0,06 % \leq C $<$ 0,6 % Skin Sens. 1A, H317: C \geq 0,0015 % Skin Irrit. 2, H315: 0,06 % \leq C $<$ 0,6 % Skin Corr. 1C, H314: C \geq 0,6 %	1

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 Note V: If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio $\ge 3:1$) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- 3 Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

- 4 Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm.
- 5 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date 13th May 2022

Version

6.5

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected. **If on skin** Not expected. **If in eyes** Not expected. **If swallowed** Not expected.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Accommodate extinguishing components to the location of fire. Unsuitable extinguishing media not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date

Version

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

13th May 2022

Store in tightly closed containers in a dedicated, cool, dry and well ventilated place. Storage temperature from + 5 ° C to + 30 ° C. Before use, the product should be mixed.

Content	Packaging type	Material of package
15 kg	bucket	РР
Encoific and use(a)		

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom	E	EH40/2005 Workplace exposure limits (Fourth Edition 2020)			
Substance name (co	mponent)	Туре	Value	Note	
titanium dioxide (CA	C: 12462 67 7)	WEL 8h	10 mg/m ³	total inhalable	
utaniuni dioxide (CA	5: 13463-67-7)	WEL 8h	4 mg/m ³	respirable	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

A half-mask with a filter against organic vapors, or an isolating respirator in the event of exceeding the substance or in an environment with poor ventilation. Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment. **Thermal hazard**

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	white
Odour	Characteristic for acrylic dispersion
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	non-inflammable
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not determined
рН	7-8 (undiluted)
Kinematic viscosity	not determined
Viscosity	3500 cP (Brookfield)
Solubility in water	miscible
Partition coefficient n-octanol/water (log value)	not determined



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date	13th May 2022			
Revision date		Version	6.5	
Vapour pressure		not determined		
Density and/or relativ	e density			
Density		1,4 g/cm³		
Relative vapour densit	ty	not determined		
Particle characteristics	5	not determined		
Form		cream / paste		
9.2. Other information				
not available				

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

C9-C12 hydrocarbon mixture

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation	LC₅o	OECD 403	>13.1 mg/l	4 hour	Rat (Rattus norvegicus)	
Oral	LD50	OECD 401	>15000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	>3400 mg/kg		Rabbit	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met. **Carcinogenicity**

Based on available data the classification criteria are not met. **Reproductive toxicity**

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date

Version

6.5

Toxicity for specific target organ - repeated exposure Based on available data the classification criteria are not met. Aspiration hazard

13th May 2022

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

C9-C12 hydrocarbon mixture

Parameter	Method	Value	Time of exposure	Species	Environmen t
LOEC		0.203 mg/l	21 day	Invertebrates (Daphnia magna)	
		10-22 mg/l	48 hour	Invertebrates (Daphnia magna)	
		10-30 mg/ml	96 hour	Invertebrates (Oncorhynchus mykiss)	

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Time of exposure	Species	Environmen t
EC₅o	OECD 202	38.9 mg/l	48 hour	Daphnia (Daphnia magna)	
LC50	OECD 203	17.6 mg/kg	96 hour	Fishes (Oncorhynchus mykiss)	
NOEC	OECD 211	11.2 mg/l	21 day	Other aquatic organisms (Daphnia magna)	
NOEC	OECD 201	3.93 mg/l	72 hour	Algae (Selenastrum capricornutum)	
EC₅o	OECD 209	>1000 mg/kg	0,5 hour	Other aquatic organisms	

Chronic toxicity

C9-C12 hydrocarbon mixture

Parameter	Value	Time of exposure	Species	Environment
NOEC	0.097 mg/l	21 day	Invertebrates (Daphnia magna)	

12.2. Persistence and degradability

Biodegradability

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Paramete	r Meth	nod	Value	Time of exposure	Environment	Result
	OEC	D 301A	>70 %			

not available

12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

13th May 2022

Creation date Revision date

Version

6.5

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]
EC₅o	OECD 201	8.5 mg/l	72 hour	Other aquatic organisms (Desmodesmus subspicatus)		
BCF	OECD 107	1.41				

Data not available.

12.4. Mobility in soil

Data not available. 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 99 wastes not otherwise specified

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group
- not relevant

14.5. Environmental hazards not relevant

- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date

6.5

SECTION 15: Regulatory information

13th May 2022

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Version

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrase	s used in the safety data sheet					
H226	Flammable liquid and vapour.					
H301	Toxic if swallowed.					
H304	May be fatal if swallowed and enters airways.					
H314	Causes severe skin burns and eye damage.					
H315	Causes skin irritation.					
H317	May cause an allergic skin reaction.					
H318	Causes serious eye damage.					
H319	Causes serious eye irritation.					
H336	May cause drowsiness or dizziness.					
H351	Suspected of causing cancer if inhaled.					
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.					
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					
H411	Toxic to aquatic life with long lasting effects.					
H310+H330	Fatal in contact with skin or if inhaled.					
Guidelines for safe handling	used in the safety data sheet					
P102	Keep out of reach of children.					
	phrases used in the safety data sheet					
	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.					
	Contains Masa poreakcyjna 5-chloro-2-metylo-2H-izotiazol-3-onu i 2-metylo-2H-izotiazol-3-onu (3:1) (CAS: 55965-84-9). May produce an allergic reaction.					
EUH066	Repeated exposure may cause skin dryness or cracking.					
EUH071	Corrosive to the respiratory tract.					
Other important information	about human health protection					
	ss specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.					
Key to abbreviations and acronyms used in the safety data sheet						
	European agreement concerning the international carriage of dangerous goods by road					
BCF	Bioconcentration Factor					
CAS	Chemical Abstracts Service					
	Concentration of a substance when it is affected 50% of the population					
	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures					
EINECS	European Inventory of Existing Commercial Chemical Substances					
EmS	Emergency plan					
EuPCS	European Product Categorisation System					
ΙΑΤΑ	International Air Transport Association					
	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals					



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

ATLAS SILKON ANA					
Creation date	13th May 2022				
Revision date	Version	6.5			
ICAO	International Civil Aviation Organization				
IMDG	International Maritime Dangerous Goods				
INCI	International Nomenclature of Cosmetic International Nomenclature of Nomenclature of Cosmetic International Nomenclature of Cosmetic International Nomenclature of Nom	ngredients			
ISO	International Organization for Standardiza	ation			
IUPAC	International Union of Pure and Applied C	hemistry			
LC50	Lethal concentration of a substance in wh population	ich it can be expected death of 50% of the			
LD50	Lethal dose of a substance in which it can population	be expected death of 50% of the			
log Kow	Octanol-water partition coefficient				
LZO	Volatile organic compounds				
MARPOL	International Convention for the Prevention	on of Pollution from Ships			
NOEC	No observed effect concentration				
OEL	Occupational Exposure Limits				
PBT	Persistent, Bioaccumulative and Toxic				
ppm	Parts per million				
REACH	Registration, Evaluation, Authorisation an	d Restriction of Chemicals			
RID	Agreement on the transport of dangerous	goods by rail			
UE	European Union				
UN	Four-figure identification number of the su Model Regulations	ubstance or article taken from the UN			
UVCB	Substances of unknown or variable compo biological materials	osition, complex reaction products or			
vPvB	Very Persistent and very Bioaccumulative				
WE	Identification code for each substance list	ed in EINECS			
Acute Tox.	Acute toxicity				
Aquatic Acute	Hazardous to the aquatic environment				
Aquatic Chronic	Hazardous to the aquatic environment (ch	וronic)			
Asp. Tox.	Aspiration hazard				
Carc.	Carcinogenicity				
Eye Dam.	Serious eye damage				
Eye Irrit.	Eye irritation				
Flam. Liq.	Flammable liquid				
Skin Corr.	Skin corrosion				
Skin Irrit.	Skin irritation				
Skin Sens.	Skin sensitization				
STOT RE	Specific target organ toxicity - repeated exposure				
STOT SE	Specific target organ toxicity - single expo	osure			
Training guideline					

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.



according to Regulation (EC) No 1907/2006 (REACH) as amended

ATLAS SILKON ANX

Creation date Revision date 13th May 2022

Version

6.5